Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	83	(database or db or dbms) same (transmit\$4 or share or obtain or synchroniz\$4) same (data adj type or data\$type or datatype) same (assembly or package or component or code) and ("707".clas. or "709". clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/25 18:59
L2	22	(database or db or dbms) same (transmit\$4 or share or obtain or synchroniz\$4) with (data adj type or data\$type or datatype) same (assembly or package or component or code) and ("707".clas. or "709". clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/25 19:20
L3	8	(database or db or dbms) same (transmit\$4 or share or obtain or synchroniz\$4) with (data adj type or data\$type or datatype) with (assembly or package or component or code) and ("707".clas. or "709".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/25 19:06
L4	14	12 not 13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/25 19:06
L5	12	("5394546").URPN.	USPAT	OR	OFF	2007/02/25 19:15
L6	50	(database or db or dbms) and (transmit\$4 or share or obtain or synchroniz\$4) with (data adj type or data\$type or datatype) with (assembly or package or component or code) and ("707".clas. or "709".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/25 19:18
L7	, 21	(database or db or dbms) and (transmit\$4 or share or obtain or synchroniz\$4) near4 (data adj type or data\$type or datatype) with (assembly or package or component or code) and ("707".clas. or "709".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/25 19:18

Page 1

L8	10	(database or db or dbms) and (transmit\$4 or share or obtain or synchroniz\$4) near4 (data adj type or data\$type or datatype) near4 (assembly or package or component or code) and ("707".clas. or "709". clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/25 19:18
L9	6	(database or db or dbms) and (transmit\$4 or share or obtain or synchroniz\$4) near4 (data adj type or data\$type or datatype) near4 (assembly or package or component or code) and ("707".clas. or "709". clas.) not I2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/25 19:18
L10	42	(database or db or dbms) same (transmit\$4 or share or obtain or synchroniz\$4) with (data adj type or data\$type or datatype) same (assembly or package or component or code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/25 19:20
L11	16	(database or db or dbms) same (transmit\$4 or share or obtain or synchroniz\$4) with (data adj type or data\$type or datatype) with (assembly or package or component or code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/25 19:20 ·
L12	50	(database or db or dbms or server) same (transmit\$4 or share or obtain or synchroniz\$4) with (data adj type or data\$type or datatype) with (assembly or package or component or code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/25 19:20
L13	32	(database or db or dbms or server) with (transmit\$4 or share or obtain or synchroniz\$4) with (data adj type or data\$type or datatype) with (assembly or package or component or code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/25 19:21
L16	25	(database or db or dbms or server) with (transmit\$4 or share or obtain or synchroniz\$4) with (data adj type or data\$type or datatype) with (assembly or package or component or code) not I2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/02/25 19:21
S13	1	"6502103".pn.	USPAT	OR	OFF	2007/02/20 17:44

514	617	server same (process\$3) with (data adj type or data\$type or datatype)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 17:47
S15	324	server same (process\$3) with (data adj type or data\$type or datatype) and ("707".clas. or "709".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 17:47
S16	48	server same (process\$3) with (data adj type or data\$type or datatype) with (assembly or package or component or code) and ("707".clas. or "709".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 17:47
S17	93	(((database or back-end or backend or back-adj end) with server) same ((application or middle adj tier or middle\$tier or middle) adj server)) and (code or comput\$3 or process\$3) with (data adj type or data\$type or datatype) with (assembly or package or component or code) and ("707". clas. or "709".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 17:47
S18	134	(((database or back-end or backend or back-adj end) with server) and ((application or middle adj tier or middle\$\foat{stier} or middle\$) adj server)) and (code or compute or process\$3) with (data adj type or data\$type or datatype) with (assembly or package or component or code) and ("707". clas. or "709".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 17:47
S19	19	((database or back-end or backend or back-adj end) with server) same (process\$3) with (data adj type or data\$type or datatype) with (assembly or package or component or code) and ("707".clas. or "709".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 17:47

Page 3

S20	18	(((database or back-end or backend or back-adj end) with server) and ((application or middle adj tier or middle\$tier or middle) adj server)) and (process\$3) with (data adj type or data\$type or datatype) with (assembly or package or component or code) and ("707".clas. or "709".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 17:47
S21	5	(database with server) same (process\$3) with (data adj type or data\$type or datatype) with (assembly or package or component or code) and ("707".clas. or "709".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 17:47
S22	141	(((database or back-end or backend or back-adj end) with server) and ((application or middle adj tier or middle\$tier or middle) adj server)) and (code or comput\$3 or process\$3) with (data adj type or data\$type or datatype) with (assembly or package or component or code) and ("707". clas. or "709".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 17:47
S23		(((database or back-end or backend or back-adj end) with server) and ((application or middle adj tier or middle\$tier or middle) adj server)) same (code or comput\$3 or process\$3) with (data adj type or data\$type or datatype) with (assembly or package or component or code) and ("707".clas. or "709".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 17:47
S24	14	(((database or back-end or backend or back-adj end) with server) same ((application or middle adj tier or middle\$tier or middle) adj server) same (copy\$3 or replicat\$3 ir transfer\$4)) and (code or comput\$3 or process\$3) with (data adj type or data\$type or datatype) with (assembly or package or component or code) and ("707".clas. or "709".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 17:47

2/25/2007 7:29:12 PM C:\Documents and Settings\jmorrison\My Documents\EAST\Workspaces\10602126-FinalafterRCE.wsp

S25	3	(((database or back-end or backend or back-adj end) with server) and ((application or middle adj tier or middle\$\(\frac{3}{2}\) or replicat\$\(\frac{3}{2}\) ir transfer\$\(\frac{4}{2}\) same (code or comput\$\(\frac{3}{2}\) or process\$\(\frac{3}{2}\)) with (data adj type or data\$\(\frac{4}{2}\) type or data\$\(\frac{4}{2}\) or package or component or code) and ("707".clas. or "709".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 17:51
S26	45	server same (share or obtain or synchroniz\$4) same (data adj type or data\$type or datatype) same (assembly or package or component or code) and ("707".clas. or "709". clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/25 18:14
S27	107	server same (transmit\$4 or share or obtain or synchroniz\$4) same (data adj type or data\$type or datatype) same (assembly or package or component or code) and ("707".clas. or "709".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/25 18:58
S28	6	server with (share or obtain or synchroniz\$4) with (data adj type or data\$type or datatype) same (assembly or package or component or code) and ("707".clas. or "709". clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/25 18:10
S29	9	server same (share or obtain or synchroniz\$4) same (data adj type or data\$type or datatype) with (assembly or package or component or code) and ("707".clas. or "709".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/02/25 18:15